
Sequence Listing was accepted.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866)

217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=11; day=2; hr=15; min=50; sec=48; ms=205;]

Validated By CRFValidator v 1.0.3

Application No: 10579104 Version No: 2.0

Input Set:

Output Set:

Started: 2008-09-29 16:16:48.125

Finished: 2008-09-29 16:16:51.056

Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 931 ms

Total Warnings: 44

Total Errors: 14

No. of SeqIDs Defined: 44

Actual SeqID Count: 44

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (1)
W	213	Artificial or Unknown found in <213> in SEQ ID (2)
W	213	Artificial or Unknown found in <213> in SEQ ID (3)
W	213	Artificial or Unknown found in <213> in SEQ ID (4)
W	213	Artificial or Unknown found in <213> in SEQ ID (5)
W	213	Artificial or Unknown found in <213> in SEQ ID (6)
W	213	Artificial or Unknown found in <213> in SEQ ID (7)
W	213	Artificial or Unknown found in <213> in SEQ ID (8)
Ε	257	Invalid sequence data feature in <221> in SEQ ID (8)
W	213	Artificial or Unknown found in <213> in SEQ ID (9)
Ε	257	Invalid sequence data feature in <221> in SEQ ID (9)
W	213	Artificial or Unknown found in <213> in SEQ ID (10)
Ε	257	Invalid sequence data feature in <221> in SEQ ID (10)
W	213	Artificial or Unknown found in <213> in SEQ ID (11)
Ε	257	Invalid sequence data feature in <221> in SEQ ID (11)
W	213	Artificial or Unknown found in <213> in SEQ ID (12)
Ε	257	Invalid sequence data feature in <221> in SEQ ID (12)
W	213	Artificial or Unknown found in <213> in SEQ ID (13)
Ε	257	Invalid sequence data feature in <221> in SEQ ID (13)
W	213	Artificial or Unknown found in <213> in SEQ ID (14)

Input Set:

Output Set:

Started: 2008-09-29 16:16:48.125 **Finished:** 2008-09-29 16:16:51.056

Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 931 ms

Total Warnings: 44

Total Errors: 14

No. of SeqIDs Defined: 44

Actual SeqID Count: 44

Error code		Error Description
E	257	Invalid sequence data feature in <221> in SEQ ID (14)
W	213	Artificial or Unknown found in <213> in SEQ ID (15)
E	257	Invalid sequence data feature in <221> in SEQ ID (15)
W	213	Artificial or Unknown found in <213> in SEQ ID (16)
E	257	Invalid sequence data feature in <221> in SEQ ID (16)
W	213	Artificial or Unknown found in <213> in SEQ ID (17)
E	257	Invalid sequence data feature in <221> in SEQ ID (17)
W	213	Artificial or Unknown found in <213> in SEQ ID (18)
E	257	Invalid sequence data feature in <221> in SEQ ID (18)
W	213	Artificial or Unknown found in <213> in SEQ ID (19)
E	257	Invalid sequence data feature in <221> in SEQ ID (19)
W	213	Artificial or Unknown found in <213> in SEQ ID (20) This error has occured more than 20 times, will not be displayed
E	257	Invalid sequence data feature in <221> in SEQ ID (20)
E	257	Invalid sequence data feature in <221> in SEQ ID (21)

SEQUENCE LISTING

```
<110> POLYPHOR LTD.
      Universitaet Zuerich
<120> Template fixed beta-hairpin mimetics and their use in phage
       display
<130> 753-65 PCT-US
<140> 10579104
<141> 2008-09-29
<150> PCT/EP 03/12783
<151> 2003-11-15
<160> 44
<170> PatentIn version 3.5
<210> 1
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Key sequence known to occur in Platelet-Derived Growth Factor
       (PDGF), see Ross, R.; Raines, E. W.; Bowden-Pope, D.F.; Cell,
       1986, 46, 155-159.
<400> 1
Val Arg Lys Lys
<210> 2
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Key sequence known to occur in Vasointestinal Peptide (VIP)
       showing neuroprotective properties against beta-amyloid
       neurotoxicity, see Proc. Natl. Am. Soc. USA, 1996, 96, 4143-4148.
<400> 2
Lys Lys Tyr Leu
<210> 3
<211> 4
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Key sequence known to occur in integrin alpha.sub4 beta.sub1, see
       Europ. J. Biol., 1996, 242, 352-362 and Int. J. Pept. Prot. Res.,
       1996, 47, 427-436.
<400> 3
Trp Leu Asp Val
<210> 4
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Key sequence known to occur in Factor Xa inhibitors, see Al
       Obeidis, F.; Ostrem, J. A.; Drug Discovery Today, 1998, 3,
       223-231.
<400> 4
Tyr Ile Arg Leu Pro
               5
<210> 5
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Key sequence known to occur in laminine, see EMBO. J., 1984, 3,
      1463.
<400> 5
Tyr Ile Gly Ser Arg
<210> 6
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Key sequence known to occur in important physiologically active
       peptides, see Cell, 1987, 88, 989.
<400> 6
Ile Lys Val Ala Val
1
               5
```

```
<210> 7
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Key sequence known to occur in important physiologically active
       peptides, see J. Biol. Chem., 1998, 273, 11001-11006 and
       11007-11011.
<220>
<221> misc_feature
<222> (4)..(5)
<223> Xaa can be any naturally occurring amino acid
<400> 7
Pro Pro Arg Xaa Xaa Trp
               5
<210> 8
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula Cys-Z-Cys
       wherein the alpha amino group of the first amino acid is
       acetylated and wherein Z consists of 8 amino acids.
<220>
<221> DISULFID
<222> (1)..(10)
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<400> 8
Cys Lys Trp Phe Leu Ala His Tyr Ala Cys
               5
                                    10
<210> 9
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
       wherein the alpha amino group of the first amino acid is
```

acetylated, wherein ${\tt Z}$ consists of 8 amino acids, and wherein both ${\tt R1}$ and ${\tt R2}$ consist of 2 amino acids.

```
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> DISULFID
<222> (3)..(12)
<400> 9
Glu Thr Cys Lys Trp Phe Leu Ala His Tyr Ala Cys Thr Lys
               5
                                   10
<210> 10
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> hairpin mimetic derived from the general formula Cys-Z-Cys
      wherein the alpha amino group of the first amino acid is
      acetylated and wherein Z consists of 10 amino acids.
<220>
<221> DISULFID
<222> (1)..(12)
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<400> 10
Cys Thr Lys Trp Phe Ser Asn His Tyr Gln Thr Cys
              5
                                   10
<210> 11
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
      wherein the alpha amino group of the first amino acid is
      acetylated, wherein Z consists of 10 amino acids, and wherein
      both R1 and R2 consist of 2 amino acids.
```

```
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> DISULFID
<222> (3)..(14)
<400> 11
Glu Thr Cys Thr Lys Trp Phe Ser Asn His Tyr Gln Thr Cys Thr Lys
               5
                                   10
<210> 12
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula Cys-Z-Cys
       wherein the alpha amino group of the first amino acid is
       acetylated and wherein Z consists of 10 amino acids.
<220>
<221> DISULFID
<222> (1)..(12)
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<400> 12
Cys Thr Lys Trp Phe Leu Ala His Tyr Ala Thr Cys
               5
                                   10
<210> 13
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
       wherein the alpha amino group of the first amino acid is
       acetylated, wherein Z consists of 10 amino acids, and wherein
       both R1 and R2 consist of 2 amino acids.
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
```

```
<220>
<221> DISULFID
<222> (3)..(14)
<400> 13
Leu Glu Cys Thr Lys Trp Phe Leu Ala His Tyr Ala Thr Cys Lys Val
                                   10
<210> 14
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
      wherein the alpha amino group of the first amino acid is
       acetylated, wherein Z consists of 10 amino acids, and wherein
       both R1 and R2 consist of 2 amino acids.
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> DISULFID
<222> (3)..(14)
<400> 14
Asn Gly Cys Thr Lys Trp Phe Leu Ala His Tyr Ala Thr Cys Lys Val
               5
                                   10
<210> 15
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
      wherein the alpha amino group of the first amino acid is
       acetylated, wherein Z consists of 10 amino acids, and wherein
      both R1 and R2 consist of 2 amino acids.
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> DISULFID
```

```
<222> (3)..(14)
<400> 15
Gly Gly Cys Thr Lys Trp Phe Leu Ala His Tyr Ala Thr Cys Gly Gly
               5
                                   10
<210> 16
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
       wherein the alpha amino group of the first amino acid is
       acetylated, wherein Z consists of 10 amino acids, and wherein
      both R1 and R2 consist of 2 amino acids.
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> DISULFID
<222> (3)..(14)
<400> 16
Glu Thr Cys Thr Lys Trp Phe Leu Ala His Tyr Ala Thr Cys Thr Lys
               5
                                   10
<210> 17
<211> 18
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
      wherein the alpha amino group of the first amino acid is
       acetylated, wherein Z consists of 10 amino acids, and wherein
       both R1 and R2 consist of 3 amino acids.
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> DISULFID
<222> (4)..(15)
```

<400> 17

```
Glu Leu Lys Cys Thr Lys Trp Phe Ser Asn His Tyr Gln Thr Cys Glu
                                     10
Val Lys
<210> 18
<211> 18
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
       wherein the alpha amino group of the first amino acid is
       acetylated, wherein Z consists of 10 amino acids, and wherein
       both R1 and R2 consist of 3 amino acids.
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<220>
<221> DISULFID
<222> (4)..(15)
<400> 18
Lys Val Gly Cys Thr Lys Trp Phe Leu Ala His Tyr Ala Thr Cys Gly
                5
                                    10
Leu Glu
<210> 19
<211> 18
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
       wherein the alpha amino group of the first amino acid is
       acetylated, wherein \ensuremath{\text{Z}} consists of 10 amino acids, and wherein
       both R1 and R2 consist of 3 amino acids.
<220>
<221> MOD_RES
<222> (1)..(1)
```

<223> ACETYLATION

```
<220>
<221> DISULFID
<222> (4)..(15)
<400> 19
Gly Gly Cys Thr Lys Trp Phe Leu Ala His Tyr Ala Thr Cys Gly
                5
                                    10
Gly Gly
<210> 20
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula Cys-Z-Cys
       wherein the alpha amino group of the first amino acid is
       acetylated and wherein Z consists of 12 amino acids.
<220>
<221> DISULFID
<222> (1)..(14)
<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION
<400> 20
Cys Gly Thr Lys Trp Phe Ser Asn His Tyr Gln Thr Gly Cys
                5
                                    10
<210> 21
<211> 18
<212> PRT
<213> Artificial Sequence
<220>
<223> Hairpin mimetic derived from the general formula R1-Cys-Z-Cys-R2
       wherein the alpha amino group of the first amino acid is
       acetylated, wherein \ensuremath{\text{Z}} consists of 12 amino acids, and wherein
       both R1 and R2 consist of 2 amino acids.
<220>
<221> MOD_RES
<222> (1)..(1)
```

<223> ACETYLATION

```
<220>
<221> DISULFID
<222> (3)..(16)
<400> 21
Glu Thr Cys Gly Thr Lys Trp Phe Ser Asn His Tyr Gln Thr Gly Cys
                                   10
Thr Lys
<210> 22
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Core peptide sequence Z taken from the CDR L3 loop of an antibody
       described in Jiang, L. et al., Chimia, 2000,54, 558-563.
<400> 22
Leu Trp Tyr Ser Asn His Trp Val
<210> 23
<211> 8
<212> PRT
<213> Artificial Sequence
<220>
<223> Modified core peptide sequence Z derived from core peptide
       sequence with the SEQ ID NO:22 containing a stabilizing beta-turn
       and a beta-sheet sequence according to Chou, P. Y., Fasman, G.
       D., J. Mol. Biol, 1977, 115, 135-175.
<400> 23
Lys Trp Phe Ser Asn His Tyr Gln
<210> 24
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Core peptide sequence Z constructed from peptide with the SEQ ID
      NO:25.
```

<400> 24

```
Phe Leu Ala His Tyr Ala
<210> 25
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Oligopeptide which does not contain a dedicated stabilizing
       beta-turn sequence or a beta-sheet sequence according to Chou, P.
       Y., Fasman, G. D., J. Mol. Biol, 1977, 115, 135-175.
<400> 25
Leu Trp Tyr Ser Asn His Trp Val Lys Trp
               5
                                    1.0
<210> 26
<211> 39
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide No. 1 used to construct insert DNA coding for
       template fixed hairpin mimetic of SEQ ID NO:10 and used to
       construct insert DNA coding for randomized library template fixed
       beta-hairpin mimetics having sequences according to SEQ ID NO:42.
<400> 26
                                                                        39
catgcccggg tacctttcta ttctcactct gaaacctgc
<210> 27
<211> 84
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide No. 2 used to construct insert DNA coding for
       template fixed hairpin mimetic of SEQ ID NO:10.
<400> 27
catgtttcgg ccgagccacc acctttggtg caggtctgat aatggttgct gaaccatttg
                                                                        60
gtgcaggttt cagagtgaga atag
                                                                        84
<210> 28
<211> 30
<212> DNA
<213> Artificial Sequence
<220>
```

<223> DNA sequence coding for the peptide shown in SEQ ID NO:8.

```
<400> 28
                                                                        30
tgcaaatggt tcctggcgca ttatgcgtgc
<210> 29
<211> 42
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:9.
<400> 29
gaaacctgca aatggttcct ggcgcattat gcgtgcacca aa
                                                                        42
<210> 30
<211> 36
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:10.
<400> 30
                                                                       36
tgcaccaaat ggttcagcaa ccattatcag acctgc
<210> 31
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
      DNA sequence coding for the peptide shown in SEQ ID NO:11.
<400> 31
gaaacctgca ccaaatggtt cagcaaccat tatcagacct gcaccaaa
                                                                       48
<210> 32
<211> 36
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:12.
<400> 32
                                                                        36
tgcaccaaat ggttcctggc gcattatgcg acctgc
<210> 33
<211> 48
<212> DNA
```

<213> Artificial Sequence

```
<220>
     DNA sequence coding for the peptide shown in SEQ ID NO:13.
<223>
<400> 33
ctggaatgca ccaaatggtt cctggcgcat tatgcgacct gcaaagtt
                                                                       48
<210> 34
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223>
     DNA sequence coding for the peptide shown in SEQ ID NO:14.
<400> 34
                                                                       48
aacggttgca ccaaatggtt cctggcgcat tatgcgacct gcaaagtt
<210> 35
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:15.
<400> 35
ggtggttgca ccaaatggtt cctggcgcat tatgcgacct gcggcggt
                                                                        48
<210> 36
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:16.
<400> 36
gaaacctgca ccaaatggtt cctggcgcat tatgcgacct gcaccaaa
                                                                       48
<210> 37
<211> 54
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:17.
<400> 37
gaactgaaat gcaccaaatg gttcagcaac cattatcaga cctgcgaagt taaa
                                                                       54
```

```
<211> 54
<212> DNA
<213> Artificial Sequence
<220>
<223>
      DNA sequence coding for the peptide shown in SEQ ID NO:18.
<400> 38
aaagttggtt gcaccaaatg gttcctggcg cattatgcga cctgcggtct ggaa
                                                                       54
<210> 39
<211> 54
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:19.
<400> 39
ggtggtggct gcaccaaatg gttcctggcg cattatgcga cctgcggcgg tggt
                                                                       54
<210> 40
<211> 42
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:20.
<400> 40
tgcggtacca aatggttcag caaccattat cagaccggtt gc
                                                                        42
<210> 41
<211> 54
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence coding for the peptide shown in SEQ ID NO:21.
<400> 41
gaaacctgcg gtaccaaatg gttcagcaac cattatcaga ccggttgcac caaa
                                                                       54
<210> 42
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> DNA sequence of randomized template fixed beta-hairpin mimetic
      Phage library.
```

```
<221> misc_feature
<222> (10)..(11)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (13)..(14)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (16)..(17)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (28)..(29)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (31)..(32)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (34)..(35)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (37)..(38)
<223> n is a, c, g, or t
<400> 42
gaaacctgcn nknnknnkcg tggtgacnnk nnknnknnkt gcaccaaa
                                                                       48
<210> 43
<211> 16
<212> PRT
<213> Artificial Sequence
<220>
<223> Translated protein sequence of a randomized template fixed
      beta-hairpin mimetic phage library
<220>
<221> DISULFID
<222> (3)..(14)
<220>
<221> MISC_FEATURE
<222> (4)..(6)
<223> Xaa can be any naturally occurring amino acid
```

<220>

```
<221> MISC_FEATURE
<222> (10)..(13)
<223> Xaa can be any naturally occurring amino acid
<400> 43
Glu Thr Cys Xaa Xaa Xaa Arg Gly Asp Xaa Xaa Xaa Cys Thr Lys
                                  10
<210> 44
<211> 84
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide No. 3 used to construct insert DNA coding for
      randomized library template fixed beta-hairpin mimetics having
      sequences according to SEQ ID NO:42.
<220>
<221> misc_feature
<222> (34)..(35)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (37)..(38)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (40)..(41)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (43)..(44)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (55)..(56)
<223> n is a, c, g, or t
```

<220>